

# Effective Programming Practices for Economists

## Numerical Optimization


### Derivative-Free Trust Region Algorithms

Janoś Gabler, Hans-Martin von Gaudecker, and Tim Mensinger

# Basic Idea (optimagic docs)


- Similar to derivative based trust region algorithm.
- Instead of Taylor approximation, use a surrogate model based on interpolation or regression.
  - Interpolation: Function is evaluated at exactly as many points as you need to fit the model.
  - Regression: Function is evaluated at more points than you strictly need. Better for noisy functions.
  - In general: Evaluation points are spread further out than for numerical derivatives.
- How the evaluation points are determined is complicated. It is also crucial for the efficiency of the algorithm.

# Initial Evaluation




Actual = expected  $\Rightarrow$  accept, increase trust region radius

# Iteration 1




Actual = expected  $\Rightarrow$  accept, increase trust region radius

## Iteration 2




Actual  $\approx$  expected, but step small  $\Rightarrow$  accept, decrease trust region radius

# Iteration 3




Actual  $\approx$  expected, but step small  $\Rightarrow$  accept, decrease trust region radius

# Iteration 4



Actual  $\approx$  expected, but step small  $\Rightarrow$  accept, decrease trust region radius

# Iteration 5



Converge because trust region radius shrinks to zero.



# Some Remarks

- Within the trust region, the fit is generally better than the gradient based trust region algorithm
- By construction at the boundaries of the trust region for interpolation
- Choose between the two based on computation speed
  - If you have fast closed form derivatives, use the derivative based algorithm
  - If you only have numerical derivatives, use this instead
- It is intuitively very clear how this can work for noisy functions if enough evaluations are used for each surrogate model

# A real algorithm: COBYLA

